


Issue Classification 	Application/Control No. 10/767,476	Applicant(s)/Patent under Reexamination STUELPNAGEL ET AL.
	Examiner AMBER D. STEELE	Art Unit 1639

ISSUE CLASSIFICATION													
ORIGINAL					INTERNATIONAL CLASSIFICATION								
CLASS		SUBCLASS			CLAIMED					NON-CLAIMED			
506		13			C	40	B	40	/00				/
CROSS REFERENCES					C	40	B	40	/06				/
CLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)				C	40	B	60	/00				/
506	16	33			G	01	N	33	/543				/
436	518								/				/
									/				/
									/				/
										Total Claims Allowed: 76			
(Assistant Examiner) (Date)					/Amber D. Steele/ 07/22/2009					O.G. Print Claim(s)			
(Legal Instruments Examiner) (Date)					(Primary Examiner) (Date)					29			
										O.G. Print Fig. 1A			

<input type="checkbox"/> Claims renumbered in the same order as presented by applicant					<input type="checkbox"/> CPA		<input checked="" type="checkbox"/> T.D.		<input type="checkbox"/> R.1.47		
Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original
	1		3 31		61		47 91		121		151
	2		4 32		62		48 92		122		152
	3		5 33		63		49 93		123		153
	4		6 34		64		50 94		124		154
	5		7 35		65		51 95		125		155
	6		8 36		66		52 96		126		156
	7		9 37		67		53 97		127		157
	8		10 38		68		54 98		128		158
	9		11 39		69		55 99		129		159
	10		12 40		70		56 100		130		160
	11		20 41		71		57 101		131		161
	12		21 42		72		58 102		132		162
	13		22 43		73		59 103		133		163
	14		23 44		74		60 104		134		164
	15		24 45		75		61 105		135		165
	16		25 46		18 76		62 106		136		166
	17		26 47		19 77		63 107		137		167
	18		27 48		34 78		64 108		138		168
	19		28 49		35 79		65 109		139		169
	20		29 50		36 80		66 110		140		170
	21		13 51		37 81		67 111		141		171
	22		14 52		38 82		68 112		142		172
	23		15 53		39 83		69 113		143		173
	24		16 54		40 84		70 114		144		174
	25		30 55		41 85		71 115		145		175
	26		31 56		42 86		72 116		146		176
	27		32 57		43 87		73 117		147		177
	28		33 58		44 88		74 118		148		178
1	29		17 59		45 89		75 119		149		179
2	30		60		46 90		76 120		150		180